

## P.O. Number:

Date:

## 2018 Roosevelt Order Form Only For Hunter Orange Camo Fabric Color

Billing Address	
Contact Name:	
Organization:	
Street Address:	
City, Ctota	

Fax:

City, State:

Phone: E-Mail:

S	hi	pp.	ing	Add	iress	(If C	Diff	erent
---	----	-----	-----	-----	-------	-------	------	-------

Contact Name:	,
Organization:	
Street Address:	
City, State:	
ZIP Code:	
Phone:	Fax:
E-Mail:	

Qty	Part Number	Description	Unit Price	Line Total
	1000SI	Spanish Instructions	\$0.00	\$0.00
	1000RS-HOC	The Roosevelt Standard* (Hunter Orange Camo cover) – a pediatric positioning vehicle restraint system (Weight range: 35 to 115 lbs.; Height Range: 33.5 to 62 inches)		
	1000RSEU-HOC	The Roosevelt Standard* with "EZ-Up" Head Rest (Hunter Orange Camo cover) — Same as 1000RS, except it comes with the "EZ-Up" Head Rest rather than the standard head rest. Choose cap(s) size below:		
	PLEASE NOTE:	There are two options for cap material. Hunter Orange Camo Accent or Khaki. The Khaki option is the coolest option for hot temperatures because it is single layer.	N/A	N/A
	1000EUCS-K	EZ-Up Cap — Size Small (Khaki) - (Head Circumference: 17.5 — 19.5 inches)		
	1000EUCS-HOC	EZ-Up Cap — Size Small (Hunter Orange Camo) - (Head Circumference: 17.5 — 19.5 inches)		
	1000EUCM-K	EZ-Up Cap – Size Medium (Khaki) - (Head Circumference: 19.5 – 21.5 inches)		
	1000EUCM-HOC	EZ-Up Cap — Size Medium (Hunter Orange Camo) - (Head Circumference: 19.5 — 21.5 inches)		

1000EUCL-K	EZ-Up Cap — Size Large (Khaki) - (Head Circumference: 21 — 23.25 inches)		
1000EUCL-HOC	EZ-Up Cap — Size Large (Hunter Orange Camo) - (Head Circumference: 21 — 23.25 inches)		
	Optional Accessories		
1000BG	EZ-Guard Buckle Cover (Prevents child from opening buckle)		
1000CCG-HOC	Chest Clip Guard (Hunter Orange Camo) Prevents child from opening chest clip		
1000AC	A-Lok Cover (Prevents child from lifting A-Lok Adjuster)		
1000FA-HOC	Foam Abductor (Hunter Orange Camo)		
1000IC-HOC	Quick-Change Incontinent Cover (Hunter Orange Camo)		
1000ELH	Optional Extra Long Harness (One foot longer than standard harness)		
1000SHK	Kit for Children with Scoliosis (Including harness with two adjusters and a set of three foam pads)		
1000HDTA	Heavy Duty Tether Anchor Kit		
PLEASE NOTE:	Please note that the standard seat depth of the Roosevelt (without an extender) is 12.5" as measured from back of buttocks to back of knee. The following seat depth extender combinations are available.	N/A	N/A
1000SE3	3 Inch Seat Depth Extension – 15.5 Inch Total Seat Depth for both legs		
1000SE45	4.5 Inch Seat Depth Extension — 17.0 Inch Total Seat Depth for both legs		
1000SE3/45	3 Inch/4.5 Inch Seat Extender - 15.5 Inch Total Seat Depth for Left Leg and 17.0 Inch Seat Depth for Right Leg		
1000SE45/3	4.5 Inch/3 Inch Seat Extender - 17.0 Inch Total Seat Depth for Left Leg and 15.5 Inch Seat Depth for Right Leg		
1000SE0/3	o Inch 3 Inch Seat Extender - 12.5 Inch Total Seat Depth for Left Leg and 15.5 Inch Seat Depth for Right Leg		
1000SE0/45	o Inch/4.5 Inch Seat Extender - 12.5 Inch Total Seat Depth for Left Leg and 17.0 Inch Seat Depth for Right Leg		
1000SE3/0	3 Inch/o Inch Seat Extender — 3 Inch/4.5 Inch Seat Extender - 15.5 Inch Total Seat Depth for Left Leg and 12.5 Inch Seat Depth for Right Leg		
1000SE45/0	4.5 Inch/o Inch Seat Extender - 17.0 Inch Total Seat Depth for Left Leg and 12.5 Inch Seat Depth for Right Leg		

	Sub Total**	
Indiana Residents Only; Not Applicable to other States	Sales Tax (7%)	
	TOTAL	

<ul> <li>* The "Roosevelt" includes the following features:</li> <li>Head Rest</li> <li>Fabric Cover</li> <li>Neck Pads</li> <li>Two Lateral Pads</li> <li>Tilt Bar</li> <li>EZ-Tether Connector Strap</li> <li>Two Tether Assemblies</li> <li>Locking Clip</li> </ul>	Please place orders by one of the following methods:  E-Mail: order@merrittcarseat.com Phone: 317-409-0148 Fax: 317-893-2567		
	Thanks for Your Business!		
** Shipping charges – The cost of shipping "Best Way" will be added to Purchase Orders.	Merritt Manufacturing, Inc., P.O. Box 17152 Indianapolis, IN 46217 www.merrittcarseat.com		